

zones

zones

AVANTA
Workspace Creation

Avanta UK Ltd
Unit B1
Astra Park
Parkside Lane
Leeds
West Yorkshire
United Kingdom
LS11 5SZ

Tel: 0113 384 8777

Fax: 0113 3848778

Sales: sales@avantauk.com



HL Enhance



- HL Enhance
- Thickness - 3mm
- Standard Heights - 2300mm/2400mm
- Width up to 1200mm depending on specification



Freedom of choice

Modern workplaces evolve and adapt to change. Tasks are completed and new challenges met.

The Z-one Range incorporating HL Enhance and K7 Freestyle wall panel systems allows flexible work spaces to be easily created in floor areas within office, education and health environments.

K7



- K7
- Thickness - 70mm
- Standard Heights - 1800mm/2000mm/2400mm
- Width up to 2700mm depending on height



form



flexibility

zones

function





HL Enhance



HL Enhance is a wall panel system that can be freestanding or wall fixed. The lightweight panels aid reconfiguration should future business needs dictate.

Planning restrictions are eased when HL Enhance is constructed into self-supporting pod layouts to provide cellular offices or breakout areas.

Working wall panels, with optional shelving and paper management systems, accommodate third level storage keeping work areas tidy.

Installation options
on glass panels





support pole

HL Enhance



corner brace



optional desk electric

HL Enhance's glass panel elements are single glazed using 6.4mm laminated glass. Glazing styles include top, part, full or Chinese (multi-panel) glazed. These options combined with bespoke graphics can produce innovative design schemes.

There is an optional desk and/or base level electric utility that easily and neatly allows cabling to be routed from the source of supply to worktop.

There are several structural support components available to enhance rigidity depending on layout. Corner junctions provide a 'bolser' aesthetic to layouts.




HL Enhance



The choice of finish for solid panels includes fabric, MFC or veneer providing opportunities with plenty of design possibilities.

Closures from either a timber pivoting door or, when space is limited, a glass sliding door.





K7 frame lets diverse components produce a myriad of layouts.



K7



As the panels are not fixed to the fabric of the building, K7 offers an easily re-positioned fit in response to changing needs, whilst planning restrictions are eased.



K7

K7 accommodates integrated flush cable management at either base or desk height with face-applied and/or power accessory options.

Working wall panels, with optional shelving and paper management systems, accommodate third level storage keeping work surfaces tidy.

Prefabricated panel and double glazing elements are available in a wide range of elevation styles, trim finishes and decoration choices.

The double glazed elements accommodate vertical blinds.





K 7



K7 can be applied with either timber or glass pivoting doors or alternatively a space saving glass sliding door.

Our panels may be fitted to the underside of the ceiling, above the standard height panels, to enhance the acoustic qualities for private meeting areas.





zones

Please Note

We recommend that our technical department is consulted before planning H1, Erlansa or K7 configurations.